

#### WELL CHILD EXAM - EARLY CHILDHOOD: 4 YEARS

(Meets EPSDT Guidelines)

	DATE	
--	------	--

			· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , ,
			重年	早期:4歳
	兒童姓名			出生日期
دم	過敏症			目前用藥
5情污	自上次體檢後出現的病	f症/事故/問題/擔憂		
重				
寫				
由家長填寫兒童的情況	我的社	孩子飲食多樣化。 孩子能與其他兒童和睦相處。 孩子會自己穿衣。	是	否 我的孩子能單腳跳躍。 我的孩會唱歌。
WEIGHT K	G./OZ. PERCENTILE	HEIGHT CM/IN. PERCENTILE BLC	OOD PRESSURE	
				Diet
Re	eview of systems	Review of family his	story	Elimination
				Sleep
Screen		MHZ R	L	Hct/Hgb Dental Referral Tb Lead Exposure
Hearin	5	4000		Fluoride Supplements Fluoride Varnish
		1000		Review Immunization Record
		500		Health Education: (Check all completed)
Vision	Screen	20/ 20/ _		Nutrition Limit TV/Computer Time Development
Develo	pment			Regular Physical Activities Car Safety/ Booster Seat
Behavi	or Emotional			Safety Passive Smoking Discipline/Limits
Gross				Helmets Child Care
Fine M	otor			Other:
				Assessment:
Physic	_	N A	N A	
Genera Skin	al appearance	Chest		
Head		Lungs Cardiovascular/Pu	ulses	
Eyes		Abdomen		
Ears		Genitalia		
Nose		Spine		
Oropha	arynx/Teeth	Extremities		
Neck		Neurological		-
Nodes	<u> </u>	Gait		
Mental Health				IMMUNIZATIONS GIVEN
Describe abnormal findings:				ININIONIZ THORE GIVEN
				REFERRALS
NEXT VISIT: 5 YEARS OF AGE				HEALTH PROVIDER NAME
HEALTH F	HEALTH PROVIDER SIGNATURE			HEALTH PROVIDER ADDRESS
DSHS 13-684C CH (REV. 08/2001) SEE DICTATION				

DISTRIBUTION: White - Physician Yellow - Parent/Guardian

### Guidance to Physicians and Nurse Practitioners for Early Childhood (4 years)

The following highlight EPSDT screens where practitioners often have questions.

They are not comprehensive guidelines.

#### Fluoride Screen

Check with local health department for fluoride concentration in local water supply, then use clinical judgment in screening. Look for white spots or decay on teeth. Check for history of decay in family.

#### **Lead Screen**

Screen children for these risk factors:

- Live in or frequently visit day care center, preschool, baby sitter's home or other structure built before 1950 that is dilapidated or being renovated.
- Come in contact with other children with known lead toxicity (i.e., blood lead 15 ug/dl).
- Live near a lead processing plant or with parents or household members who work in a lead-related occupation (e.g., battery recycling plant).

#### **Hepatitis B Vaccine**

For children and adolescents not vaccinated against hepatitis B in infancy, begin the hepatitis B vaccine
series during any childhood visit. Give the second dose at least one month after the first dose and give the
third dose at least four months after the first dose and at least two months after the second dose. Hepatitis B
vaccine is required for school entry.

#### **Developmental Milestones**

Always ask parents if they have concerns about development or behavior. You may use the following screening list, or use the Ages and Stages Questionnaire, the Denver II, or the MacArthur Communications Development Inventory.

Yes	No	
		Dresses with supervision.
		Plays games with other children (e.g., tag).
		Says what to do when tired, cold, hungry.
		Says first and last name when asked.
		Walks up and down stairs, alternating feet.
		Balances on each foot for 2 seconds.
		Copies a circle.
		Inappropriate play with toys/no pretend play.

**Instructions for developmental milestones:** At least 90% of children should achieve <u>the underlined milestones</u> by this age. If you have checked "no" on *even one* of the underlined items, or if you have checked the **boxed item** (abnormal behavior at this age), refer the child for a formal developmental assessment.

Notes: Immunization schedules are from the Advisory Committee on Immunization Practice of the U.S. Centers for Disease Control and Prevention. Parents and providers may call Healthy Mothers, Healthy Babies with questions or concerns on childhood development.



## 健康兒童體檢 - 童年早期: 4歳 WELL CHILD EXAM - EARLY CHILDHOOD: 4

(符合EPSDT早期定期檢查、診斷和治療指南標準)

日期			

童年早期:4歳				
	兒童姓名		出生日期	
民	過敏症		目前用藥	
動傾	自上次體檢後出	自上次體檢後出現的病症/事故/問題/擔憂		
寫兒童				
由家長填寫兒童的情況	是否	我的孩子飲食多樣化。  我的孩子能與其他兒童和睦相處。  我的孩子會自己穿衣。	是 否       我的孩子能單腳跳躍。         我的孩會唱歌。       我的孩會唱歌。	
體重 千克	/盎司 百分比	身高 厘米/英寸 百分比 血壓	飲食	
系	系統審核	家族健康史審核		
檢查: 聽力檢 視力檢	查	MHZ R L 4000	Hct/Hgb	
	緒  肉運動  肌肉運動		安全     被動吸煙     管教與定立規矩       頭盔     托兒       其他       評估:	
身整皮頭眼耳鼻口頸淋精體體膚部睛朵子咽部巴神	<b>一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一</b>	N A 胸腔		
	常發現:		已完成的免疫接種	
			轉介	
		下次檢查:5歳	保健服務機構名稱	
保健服務相	機構簽名		保健服務機構地址	

DSHS 13-684C CH (REV. 08/2001)

☑ 參見口述記錄

# 4歳小兒的保健

### 重要標誌。

### 小兒在4至5歲期間的生長發育。

地上下樓梯毫無困難。

蹦跳。

用長的語句表達。

談論明天將發生的事和昨天發生過的事。

可以用手指數數。

認識一些字母。

記住自己的地址和電話號碼。

玩打扮的游戲。

# 您可以在與您的孩子玩耍時幫助她學 會新技能。

### 若需要幫助或詳細資訊,請聯繫

**關於您覺得談論有困難的話題之兒童書籍**:請 向您當地的衛生部門或公共圖書館的兒童圖書 部圖書館員詢問。

**關於教導孩子懂得防火安全方面的幫助**:請與 當地消防站的消防員交談。

### 保健須知

您的孩子在開始入學前需要接受某些免疫注射。您一 定要讓您的孩子儘快接受這些免疫注射。若您決定您 的孩子將不接受某些疫苗注射,您必須簽署一份免除 接種表格。

每天至少為孩子提供五小份水果和蔬菜。這些都是健 康食品和好的零食。

幫助您的孩子獲得足夠的睡眠,這樣她才能更愉快, 學習也會更輕鬆!讓她早一些睡覺,保證晚上有10-12小時的睡眠。利用固定的睡前作息安排讓她安靜下來。睡前讀一段故事或一起交談。

# 子女教養須知

鼓勵您的孩子用詞語向您敍述他為何感到煩腦或悲傷。您先自己做一遍向他示範。

每天花時間與您的孩子一起閱讀、作游戲或在室外作 活動式的游戲。

兒童會很自然地對自己的身體產生好奇。簡單而誠實 的回答會有助於兒童對自己的身體有正常感。對於私 處應使用真實的名稱。

# 安全須知

兒童加固車座是為稍大的小兒準備的!在您的孩子長高到足以使用成年人安全帶前,都應在後座使用兒童加固車座以及肩/膝安全帶。不久就會要求使用兒童加固車座,直到兒童滿6歲或60磅為止。

一定要讓您的孩子知道自己的地址和電話號碼。教她如何在緊急情況下撥打911緊急電話。告訴她,若必須打電話求助,就要在線上等候。在家中用玩具電話來練習。

教孩子在衣服著火時止步、脱掉衣服,並在地 上打滾。